

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6624761".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L2	6	"6624761".pn. or "6309424".pn. or "6195024".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L3	183	341/50,51,67,75,79.ccls. and (compress\$3 with data with types)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L4	214	341/50,51,67,75,79.ccls. and (compress\$3 with (data near type\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L5	21	341/50,51,67,75,79.ccls. and (compress\$3 with (data near type\$1 with identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L6	21	341/50,51,67,75,79.ccls. and (compress\$3 with (data near type\$1 with identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L7	3	((compression near methods) with highest with ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L8	4394078	select\$3 compression with method with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L9	14	select\$3 with compression with method with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17

EAST Search History

L10	2	"6147634".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L11	2	"6288591".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L12	2	"6624761".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L13	647	((compres\$7 or encod\$3) with highest with ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L14	34	"341"/\$.ccls. and ((compres\$7 or encod\$3) with highest with ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L15	92	(determ\$7 or estimat or measur\$7) with (compres\$7 or encod\$3) with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L16	110	(determ\$7 or estimat\$3 or measur\$7 or comput\$3 or calculat\$3) with (compres\$7 or encod\$3) with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L17	101	L16 not L14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L18	183	341/50,51,67,75,79.ccls. and (compress\$3 with data with types)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L19	214	341/50,51,67,75,79.ccls. and (compress\$3 with (data near type\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17

EAST Search History

L20	14	select\$3 with compression with method with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L21	110	(determ\$7 or estimat\$3 or measur\$7 or comput\$3 or calculat\$3) with (compress\$7 or encod\$3) with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L22	21	341/50,51,67,75,79.ccls. and (compress\$3 with (data near type\$1 with identif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L23	4394078	select\$3 compression with method with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L24	647	((compress\$7 or encod\$3) with highest with ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L25	92	(determ\$7 or estimat or measur\$7) with (compress\$7 or encod\$3) with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L26	183	341/50,51,67,75,79.ccls. and (compress\$3 with data with types)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L27	214	341/50,51,67,75,79.ccls. and (compress\$3 with (data near type\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L28	14	select\$3 with compression with method with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L29	110	(determ\$7 or estimat\$3 or measur\$7 or comput\$3 or calculat\$3) with (compress\$7 or encod\$3) with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17

EAST Search History

L30	2	"6624761".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L31	6	"6624761".pn. or "6309424".pn. or "6195024".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L32	21	341/50,51,67,75,79.ccls. and (compress\$3 with (data near type\$1) with identif\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L33	3	((compression near methods) with highest with ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L34	14	select\$3 with compression with method with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L35	2	"6147634".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L36	2	"6288591".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L37	2	"6624761".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L38	34	"341"/\$.ccls. and ((compres\$7 or encod\$3) with highest with ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L39	110	(determ\$7 or estimat\$3 or measur\$7 or comput\$3 or calculat\$3) with (compres\$7 or encod\$3) with highest with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17

EAST Search History

L40	101	L39 not L38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L41	183	341/50,51,67,75,79.ccls. and (compress\$3 with data with types)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L42	214	341/50,51,67,75,79.ccls. and (compress\$3 with (data near type\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:26
L43	2	"6624761".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L44	2	"6309424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L45	2	"6195024".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L46	0	((disparate near3 types) and (content near dependent) and (single near data) and compression).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17
L47	0	((disparate near3 types) same (content near dependent) same (single near data) same compression)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:17

EAST Search History

L48	84	((("4394774") or ("5209220") or ("5379757") or ("6169241") or ("6661839") or ("5227893") or ("5400401") or ("5403639") or ("5613069") or ("5635632") or ("5635932") or ("5719862") or ("5796864") or ("5867167") or ("6182125") or ("6609223") or ("4127518") or ("4593324") or ("5045848") or ("5113522") or ("5121342") or ("5243341") or ("5263168") or ("5293379") or ("5355498") or ("5357614") or ("5396228") or ("5420639") or ("5452287") or ("5467087") or ("5471206") or ("5557551") or ("5557668") or ("5596674") or ("5627534") or ("5642506") or ("5652795") or ("5717393"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:32
L51	14	"l48" and ((data near type\$1) or (encod\$3 near type\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:36
L52	28	"l48" and ((data near2 type\$1) or (encod\$3 near2 type\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:37
L53	24	48 and ((data near2 type\$1) or (encod\$3 near2 type\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/24 21:37